# Chemical Safety Data Sheet MSDS / SDS

# 2,3-Dimethylaniline

Revision Date: 2025-02-01 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : 2,3-Dimethylaniline

CBnumber : CB8256854

CAS : 87-59-2

EINECS Number : 201-755-0

Synonyms : 2,3-dimethylaniline,2,3-xylidine

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word Danger

# Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P391 Collect spillage. Hazardous to the aquatic environment

P314 Get medical advice/attention if you feel unwell.

P311 Call a POISON CENTER or doctor/physician.

P310 Immediately call a POISON CENTER or doctor/physician.

P309 IF exposed or if you feel unwell:

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

#### **Hazard statements**

H411 Toxic to aquatic life with long lasting effects

H410 Very toxic to aquatic life with long lasting effects

H401 Toxic to aquatic life

H373 May cause damage to organs through prolonged or repeated exposure

H331 Toxic if inhaled

H319 Causes serious eye irritation

H315 Causes skin irritation

H311 Toxic in contact with skin

H302 Harmful if swallowed

H301 Toxic if swalloed

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : 2,3-Dimethylaniline

Synonyms : 2,3-dimethylaniline,2,3-xylidine

CAS : 87-59-2
EC number : 201-755-0
MF : C8H11N
MW : 121.18

# SECTION 4: First aid measures

# Description of first aid measures

# General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

# If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)


# Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

No data available

# **NFPA 704**



Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium</u>

HEALTH 3

hypochlorite, hexafluorosilicic acid)

Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion

FIRE 1 can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)

☐ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)

SPEC.

HAZ.

# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

## Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# control parameter

# Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,2 mm Break through time: 30 min Material tested:Dermatril? P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our

customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	dark red clear, liquid
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: 2,5 °C
Initial boiling point and boiling range	221 - 222 °C
Flash point	96 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Lower explosion limit: 1 %(V)
limits	
Vapour pressure	0.13 hPa (25 °C)
Vapour density	4,85
Relative density	0,993 g/mL at 25 °C
Water solubility	1.5g/l
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available

Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

Relative vapor density

4,85

# SECTION 10: Stability and reactivity

# Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

No data available

# **Conditions to avoid**

No data available

## Incompatible materials

acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates, Halogens

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available In the event of fire: see section 5

# SECTION 11: Toxicological information

# Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 933 mg/kg

#### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

Result:In the short-term treatment with exogenous metabolic activation, structural chromosomal aberrations (19.6%, including gap) were

induced at 0.60 mg/ml (high concentration), though the cell numbers observed were low because of the strong cytotoxicity. Polyp

Metabolic activation: with and without metabolic activation

Method: Guidelines for Screening Mutagenicity Testing of Chemicals (Japan) and OECD Guideline No. 473

Test system: Chinese hamster lung (CHL/IU) cells

Test Type: Chromosome aberration test in vitro

Result: This chemical induced mutations in S. typhimurium TA100 with an S9 mix. Toxicity was observed at 1250 µg/plate (TA1537), 2500 µg/plate (TA100, TA1535, TA98), 5000 µg/plate (WP2) without an S9 mix, and at 1250 µg/plate (TA100), 2500 µg/plate (TA1537), 5000

Metabolic activation: with and without metabolic activation

Method: Guidelines for Screening Mutagenicity Testing of Chemicals (Japan) and the OECD Guideline No. 471 and 472

Test system: Salmonella typhimurium, TA100, TA1535, TA98, TA1537, Escherichia coli WP2 uvrA

Test Type: Ames test

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

No data available

#### **Additional Information**

RTECS: ZE8750000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Damage to the eyes., Nausea, Dizziness, Headache, Blood disorders, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

# **Toxicity**

# Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 10 mg/l - 24 h

# Persistence and degradability

No data available

# **Bioaccumulative potential**

No data available

# Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Other adverse effects

Toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

## **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material

must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

## **UN** number

ADR/RID: 1711 IMDG: 1711

# **UN proper shipping name**

ADR/RID: XYLIDINES, LIQUID IMDG: XYLIDINES, LIQUID IATA: Xylidines, liquid

# Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

# **Packaging group**

ADR/RID: II IMDG: II IATA: II

# **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

# Special precautions for user

No data available

# SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

## Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# SECTION 16: Other information

# Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

## References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

## Other Information

Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available. TLV only established for mixed isomers. See ICSCs 0453, 0600, 1519, 1686 and 1687.

## Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.